



EC-Type Examination Certificate (1)

(2)

- Directive 94/9/EC -

Equipment and protective systems intended for use in potentially explosive atmospheres

(3)

DMT 03 ATEX E 039

Equipment: (4)

Floodlights, types dTLS 85 ... and dHLS 85 ...

(5) Manufacturer: **CEAG Sicherheitstechnik GmbH**

(6) Address: D 69412 Eberbach

- (7) The design and construction of this equipment and any acceptable variation thereto are specified in the schedule to this type examination certificate.
- (8)The certification body of Deutsche Montan Technologie GmbH, notified body No. 0158 in accordance with Article 9 of the Directive 94/9/EC of the European Parliament and the Council of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive.

The examination and test results are recorded in the test and assessment report BVS PP 03.2075 EC.

(9) The Essential Health and Safety Requirements are assured by compliance with:

EN 50014:1997 + A1 - A2

General requirements

EN 50018:2000 + A1

Flameproof enclosure

EN 50019:2000

Increased safety

- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.
- This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment in accordance to Directive 94/9/EC.

Further requirements of the Directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate

The marking of the equipment shall include the following:

II 2G EEx de II C T3

Deutsche Montan Technologie GmbH

Essen, dated 08. April 2003

Signed: Jockers

Signed: Eickhoff

DMT-Certification body

Head of special services unit

Page 1 of 3 to DMT 03 ATEX E 039 This certificate may only be reproduced in its entirety and without change. Dinnendahlstrasse 9 44809 Bochum Germany Telefon-Phone +49 201/172-3947 Telefax-Fax +49 201/172-3948 (until 31.05.2003: Deutsche Montan Technologie GmbH Am Technologiepark 1 45307 Essen Germany)



(13) Schedule to

(14) EC-Type Examination Certificate

DMT 03 ATEX E 039

(15) 15.1 Subject and Type Floodlights, types dTLS 85 ... and dHLS 85 ...,

15.2 Description

The floodlight is designed in the type of protection Flameproof Enclosure "d" and is an explosion-protected electrical apparatus for the illumination of large, open areas in potentially explosive atmospheres. The floodlight is fitted with a terminal compartment in the type of protection Increased Safety "e".

15.3 Parameters

Rated voltage: up to AC	300 V +/- 10% 50-60 Hz
Lamp wattage, type dTLS Lamp wattage, type dHLS	250 W 400 W
Ambient temperature range	-20 °C to + 50°C
Degree of protection in acc. with EN 60529	IP 54

- (16) Test and assessment report
 BVS PP 03.2075 EC, as of 08.04.2003
- (17) <u>Special conditions for safe use</u>
 Not applicable



We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

44809 Bochum, 18.07.2003 BVS-Ld/Mi A 20010163

EXAM BBG Prüf- und Zertifizier GmbH

Certification body





1st Supplement

(Supplement in accordance with Directive 94/9/EC Annex III number 6)

to the EC-Type Examination Certificate DMT 03 ATEX E 039

Equipment:

Floodlight type dTLS 85 ... and type dHLS 85 ...

Manufacturer:

Cooper Crouse-Hinds GmbH

Address:

69412 Eberbach, Germany

Description

The Floodlight type dTLS 85 ... and type dHLS 85 ... can be modified according to the descriptive documents as mentioned in the pertinent test and assessment report.

The Essential Health and Safety Requirements of the modified equipment are assured by compliance with:

EN 50014:1997+A1-A2

General requirements

EN 50018:2000 +A1

Flameproof enclosure 'd'

EN 50019:2000

Increased safety

ifety 'e'

Parameters

Rated voltage

to

AC

230 V +/-10%

50 - 60 Hz

Lamp power consumption type dHLS

up to 250 W

Ambient temperature range type dHLS, Lamp power consumption 250 W

-20 °C up to +55 °C

Degree of protection in acc. with EN 60529

IP 54

Test and assessment report

BVS PP 03.2075 EG as of 01.12.2004

EXAM BBG Prüf- und Zertifizier GmbH

Bochum, dated 01. December 2004

Signed:

Dr. Eickhoff

Signed:

Schumann

Certification body



We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

44809 Bochum, 01.12.2004 BVS-Kem/Ar A 20040417

EXAM BBG Prüf- und Zertifizier GmbH





2nd Supplement

(Supplement in accordance with Directive 94/9/EC Annex III number 6)

to the EC-Type Examination Certificate DMT 03 ATEX E 039

Equipment:

Floodlights type dTLS 85 ... and type dHLS 85 ...

Manufacturer:

Cooper Crouse-Hinds GmbH

Address:

69412 Eberbach, Germany

Description

The floodlight type dTLS 85... and type dHLS 85... can be modified according to the descriptive documents as mentioned in the pertinent test and assessment report for a ambient temperature range from -50 °C- up to +50/55 °C.

The Essential Health and Safety Requirements of the modified equipment are assured by compliance with:

EN 50014:1997+A1-A2

General requirements

EN 50018:2000 +A1

Flameproof enclosure

EN 50019:2000

Increased safety

The marking of the equipment shall include the following:



Il 2G EEx de IIC T3

Parameters

Ambient temperature range

-50 °C up to +50/55 °C

The other parameters stay unchanged.

Marking

Ambient temperature range

 $-50 \, ^{\circ}\text{C} \le \text{T}_{\text{amb}} \le +50/55 \, ^{\circ}\text{C}$

The other marking stay unchanged.

Special conditions for safe use Unchanged

Test and assessment report BVS PP 03,2075 EG as of 10,10,2005

EXAM BBG Prüf- und Zertifizier GmbH

Bochum, dated 10. October 2005

Signed: Dr. Eickhoff

Signed: Dr. Wittler

Certification body



We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

44809 Bochum, 10. October 2005 BVS-Ld/Kw A 20050421

EXAM BBG Prüf- und Zertifizier GmbH





3rd Supplement

(Supplement in accordance with Directive 94/9/EC Annex III number 6)

to the EC-Type Examination Certificate DMT 03 ATEX E 039

Equipment: Floodlight type dTLS 85 070

Manufacturer: Cooper Crouse-Hinds GmbH

Address: 69412 Eberbach, Germany

Description

The floodlight type dTLS 85 ... and dHLS 85 ... can be modified according to the descriptive documents as mentioned in the pertinent test and assessment report, the new type designation is:

dTLS 85 070

The Essential Health and Safety Requirements of the modified equipment are assured by compliance with:

EN 50014:1997+A1-A2 General requirements

EN 50018:2000 +A1 Flameproof enclosure 'd'

EN 50019:2000 Increased safety 'e'

The marking of the equipment shall include the following:

II 2G EEx de IIC T4 for type dTLS 85 070 for the other types

Parameters of type dTLS 85 070

Rated voltage Rated frequency Power of lamp Ambient temperature range AC 220 - 240 V 50 ... 60 Hz 70 W -20 °C bis + 55°C

Special conditions for safe use non

Test and assessment report BVS PP 03.2075 EG as of 16.06.2006

EXAM BBG Prüf- und Zertifizier GmbH

Bochum, dated 16. June 2006

Signed: Dr. Jockers Signed: Dr. Eickhoff

Certification body



We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

44809 Bochum, 16.06.2006 BVS-Kem/Mi A 20060296

EXAM BBG Prüf- und Zertifizier GmbH

Certification body





4th Supplement

(Supplement in accordance with Directive 94/9/EC Annex III number 6)

to the EC-Type Examination Certificate **DMT 03 ATEX E 039**

Equipment: Floodlight type dTLS 85... and

Ceiling lamp type dHLS 85...

Manufacturer: Cooper Crouse-Hinds GmbH

Address: 69412 Eberbach, Germany

Description

The floodlight type dTLS 85... and ceiling lamp type dHLS 85... can be modified according to the descriptive documents as mentioned in the pertinent test and assessment report.

The Essential Health and Safety Requirements of the modified equipment are assured by compliance with:

EN 60079-0:2006 General requirements EN 60079-1:2007 Flameproof enclosure 'd' EN 60079-7:2007 Inceased Safety

The marking of the equipment shall include the following:



⟨Ex⟩ | I 2G Ex de IIC T*

* depends on luminaire used

Special conditions for safe use None

Test and assessment report BVS PP 03.2075 EG as of 11.12.2009

DEKRA EXAM GmbH

Bochum, dated 11th December 2009

Signed: Simanski	Signed: Dr. Eickhoff
Certification body	Special services unit

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

44809 Bochum, 07.01.2010 BVS-Ru/Ar E 1938/09

DEKRA EXAM GmbH