

CEAG-X200 Ex-PDA

Communication in Hazardous Areas

COOPER Crouse-Hinds



 $\langle Ex \rangle$

CEAG-X200 Opens up New Dimensions

Security and availability of chemical plants are based essentially on comprehensive maintenance and servicing. Hence it is not surprising that the costs for this come to at 5-12 % of the manufacturing costs. Repairs, on the other hand, are many times more expensive. Optimisation of this range therefore offers high potential for savings.

Through consistent use of PDAs, maintenance processes can be optimised and in this way costs can be reduced. The CEAG-X200 opens up a variety of efficient applications regarding the inspection, servicing, repair and maintenance of industrial plants.

Documentation:

Consistent use of digital media minimises the error tendencies of transitions between media (computer > paper > computer) and also provides transparency throughout in data evaluation.

When using a PDA, there is the option of connecting databases or Asset Management Systems. Through the elimination of transitions of media and system interfaces, a continuity of documentation is formed which allows high quality standards with simultaneously lower costs.

Process monitoring/work security:

By process and video monitoring the workflow can be observed in real time and hence safety at work can be guaranteed. Here the CEAG-X200 is connected with the camera systems via a WLAN network.

Maintenance

Additionally, with the interface for SAP mobile there is an option of connecting to maintenance tools for rapid servicing and maintenance. Instructions can also be given directly in the field, such as for instance how servicing is to be carried out, or information about the operating status of plant parts can be transmitted.

Information and Help:

Moreover, the PDA can be used as an aid for maintenance and servicing. Instructions for operation and repairs, spare part lists etc. can therefore be made available directly on the CEAG-X200 or via a WLAN server.



Features

- Impact-, water- and vibration-resistant housing with high degree of protection (IP 65)
- Bright an crisp VGA TFT touchscreen
- Back-lit keys for optimized operation
- Latest CPU generation for high performance
- Long operating time (approx. 15 hours) due to high-performance lithium-ion battery



For Use in Zone 2 and 22

Technical data

Marking to 94/9/EC

EC-Type Examination Certificate Permissible ambient temperature Displav

Processor Memory Internal storage System software Communication

Battery Operating time Degree of protection accd. EN 60529 Dimensions in mm (L x W x H) Weight

Ordering details

Туре	Order No.
CEAG-X200 (PDA, incl. carry case, leather)	GHG1309801P000 ⁻

🐼 II 3 G Ex nA nL IIC T6 🚯 II 3 D Ex tD A22 IP65 T60 °C

128 MB (volatile memory)

Windows Mobile[®] 6.0 mini USB 2.0 Bluetooth 2.0,

0.596 kg (incl. battery)

LED backlight 480 x 640 pixel (VGA)

1 GB Flash (non-volatile memory)

WLAN 802.11b/g, 1 CF&SDIO card Li-lon rechargeable pack (5200 mAh)

806 MHz

BVS 09 ATEX E 011

-20 °C up to +40 °C

Marvel PXA320

approx. 15 h

176 x 100 x 50

IP 65

Acessories

туре	Order No.
Leather carry case	GHG1301903R0001
Spare battery module	GHG1301904R0003
Spare battery charger	GHG1301904R0002
LCD protective cover (anti-glare)	GHG1301905R0003
LCD protective cover (high-gloss)	GHG1301905R0002
Stylus pen	GHG1301905R0001
CF card 1GB	GHG1301906R0001
CF card 2GB	GHG1301906R0002



Wireless communication in hazardous areas:

The explosion-protected PDA CEAG-X200 ensures flexible, secure and reliable data exchange in hazardous areas of industrial plants. The robust, user-friendly communication device is approved for hazardous areas of gas and dust zones 2 and 22. This is ensured by the handy scratch- and impact-proof plastic housing with high degree of protection IP 65 according to EN 60529.

Vibration, mud, heavy rain, cleaning by running water or even a drop from 1.2 m height on concrete can do no harm to this long-life device. The high-performance battery supplies energy reliably for a long operation time, approx. 15 hours. The large and crisp VGA TFT touchscreen allows to read the display even in direct sunlight.

The super-fast Marvel PXA320 processor provides the highest performance, for futureproof hardware and long-term product use.







Cooper Crouse-Hinds GmbH Neuer Weg-Nord 49 D-69412 Eberbach

Phone +49 (0) 6271 806-500 Fax +49 (0) 6271 806-476

e-mail: info-ex@ceag.de Internet: www.ceag.de

The information provided serves only as a product description and is not to be regarded as confirmation of product characteristics or as a guarantee in the legal sense. We reserve the right to make changes to the design in the interest of technological development.

Cooper Industries, Ltd. 600 Travis, Ste. 5800 Houston, TX 77002-1001 P: 713-209-8400 Internet www.cooperindustries.com

Valid from June 2009

