

# 5 JOULE XENON BEACONS

## EExd, Weatherproof

### XB11 Range



Beacon/Sounder  
Combination Unit



**Now GOST  
'R' & 'K'  
Certified**

## Introduction

These certified beacons have been designed for use in potentially explosive gas and dust atmospheres and harsh environmental conditions. The glass reinforced polyester enclosures are suitable for use offshore or onshore, where light weight combined with corrosion resistance is required.

The beacon housing is manufactured completely from a U.V. stable, glass reinforced polyester. Stainless steel screws and mounting bracket are incorporated ensuring a totally corrosion free product.

Units can be painted to customer specification and supplied with identification labels.

- ★ Zone 1 and Zone 2 use.
- ★ EExd IIB T4, T5 & T6.
- ★ ATEX approved, Ex II 2GD.
- ★ BASEEFA certified.
- ★ UL Listed for USA and Canada
  - Hazardous locations:
    - Class I, Div 2, Groups C & D.
    - Class I, Zones 1 & 2, AExd IIB T4/T5.
  - Ordinary locations: Visual-Signal Device.
- ★ GOST 'R' & 'K' Certified.
- ★ Australian (SAA) certified.
- ★ Chinese (CQST) certified.
- ★ Brazilian (Inmetro) certified.
- ★ IP66 and IP67.
- ★ Certified temperature  $-55^{\circ}\text{C}$  to  $+70^{\circ}\text{C}$ .
- ★ Corrosion resistant GRP.
- ★ Optional stainless steel backstrap.
- ★ Various lens colours.
- ★ Optional lens guard.
- ★ Optional telephone initiation.
- ★ 2 x M20 cable entries or 2 x 1/2" NPT\*.
- ★ Earth continuity option (model dependent).
- ★ Filament version (20W) available†.
- ★ Fluorescent version (10W) available†.
- ★ Beacon/Sounder Combination Unit available.

\*Model dependent.

†See FL11, FB11, FL12, FB12 data sheet.

MEDC Ltd, Colliery Road,  
Pinxton, Nottingham NG16 6JF, UK.  
Tel: +44 (0)1773 864100  
Fax: +44 (0)1773 582800

MEDC International, 5829 West Sam Houston Parkway,  
North, Suite 1005, Houston, Texas 77041, USA.  
Tel: +1 (713) 937 9772  
Fax: +1 (713) 937 9773

MEDC Norway, Auglaend Smyraa 6,  
4016, Stavanger, Norge.  
Tel: +47 913 92 289  
Fax: +47 914 46 030

Sales Enq. Fax: +44 (0)1773 582830 Sales Orders Fax: +44 (0)1773 582832  
E-Mail: sales@medc.com Web: www.medc.com



